

TRANSPORT



GIORDANO POULTRY PLAST

Giordano Poultry Plast® was founded in 1962 and continues to be run by the Giordano family.

Since its origin, it has devoted itself to the poultry sector, specialising in it: from hatching to breeding, all the way down to slaughtering and transport, and it has made its production revolve around a material endowed with countless qualities: plastic.

Equipment supply to animal farming represents the deepest root of the group activity, and the sector in which its longest history has given birth to a wide-ranging and well-structured production and commercial organization worldwide.

The specific expertise in the use of materials has led to the development, especially in recent years, of a significant network of relationships with other leading companies in the sector, operating not only in the breeding field but also in such other fields as slaughtering and transport, for which the Giordano group designs and creates high-tech plastic products and components. A supplementary recognition of skill and reliability.

Thanks to a direct knowledge of the usage profile and of the different technical and practical needs coming from the various sectors within the global poultry industry, the Company attends directly to all production phases. From creation to design, in our R&D department, and final manufacture, the company is always looking for innovative high-performing products and solutions, capable of combining efficiency, cost-effectiveness and durability.

BIRD TRANSPORT

The transport of live birds is a fundamental process in poultry production.

With over half a century of experience in the industry, Giordano Poultry Plast® provides what is currently the biggest worldwide range of transportation crates for use in the professional poultry sector.

Recognized for excellent quality and precise design, these easy-to-use poultry crates are among Giordano's best known products.

Giordano Poultry Plast® products are suitable for several poultry sector species. The term "birds" refers to poultry production animals in general includes: laying hens, broilers, day-old chicks, turkeys, quail, bird game.

All the cages and boxes of Poultry Plast are strong and durable, hygienic and easy to clean. Animal welfare is guaranteed thanks to excellent ventilation, easy stacking, as well as smooth and round surfaces that minimize bruises and broken wings, preventing injuries during coop handling.

The products in the range are made with HD polyethylene and UV stabilized that reduces ageing due to solar rays. The coop line is very simple to assemble: push fitself locking. No equipment is needed, as a simple pressure ensures the complete assembly of the coop.





BOX 4 COMPARTMENTS



Cod. 0402001.50

CHARACTERISTICS

Outside dimensions:
690x490x160 mm
Weight:
1,970 kg
Load resistance:
200 kg
Capacity:
25 chicks x 4
Shipping capacity:
1.050 pieces per 20' cnt
2.100 pieces per 40' cnt
2.500 pieces per 40' HC



Cod. 0403001
COVER



BOTTOM



BOX 2 COMPARTMENTS 2.0



Cod. 0402005.50

CHARACTERISTICS

Outside dimensions:
692x490x157 mm
Weight:
2,020 kg
Load resistance:
200 kg
Capacity:
50 chicks x 2
Shipping capacity:
2.200 pieces per 20' cnt
4.510 pieces per 40' cnt
5.000 pieces per 40' HC





BOX 1 COMPARTMENTS



Cod. 0402003.50

CHARACTERISTICS

Outside dimensions:
630x420x155 mm
Weight:
1,660 kg
Load resistance:
200 kg
Capacity:
100 chicks
Shipping capacity:
1.020 pieces per 20' cnt
2.080 pieces per 40' cnt
2.392 pieces per 40' HC




BOX 2 COMPARTMENTS



Cod. 0402002.50

Cod. 0403003
COVER
Weight:
2,150 kg



Cod. 0403002
COVER





DRAWER



Height 220 mm

CHARACTERISTICS



Outside dimensions:
1.160x770x220 mm
Cod. 0107520.50
WITH PIERCED BOTTOM
Weight:
8,700 kg
Cod. 0107521.50
WITH SEMI PIERCED BOTTOM
Weight:
9,050 kg
Shipping capacity:
150 pieces per 20' cnt
300 pieces per 40' cnt
395 pieces per 40' HC



Height 255 mm

CHARACTERISTICS

Outside dimensions:
1.160x770x255 mm
Cod. 0107500.50
WITH PIERCED BOTTOM
Weight:
9,500 kg
Cod. 0107502.50
WITH SEMI PIERCED BOTTOM
Weight:
9,850 kg
Shipping capacity:
135 pieces per 20' cnt
270 pieces per 40' cnt
334 pieces per 40' HC






DRAWER TURKEY



Height 355 mm

CHARACTERISTICS

Outside dimensions:
1.160x770x355 mm
Cod. 0107511.50
WITH PIERCED BOTTOM
Weight:
11,300 kg
Cod. 0107512.50
WITH SEMI PIERCED BOTTOM
Weight:
11,650 kg
Shipping capacity:
90 pieces per 20' cnt
180 pieces per 40' cnt
210 pieces per 40' HC




UNIVERSAL COOP 110



Cod. 0107022.50
3 DOORS - PIERCED BOTTOM

CHARACTERISTICS

Outside dimensions:
1.100x580x270 mm
Weight:
6,790 kg
Shipping capacity:
188 pieces per 20' cnt
392 pieces per 40' cnt
434 pieces per 40' HC



Cod. 0107206.50
COVER WITH TWO SLIDING DOORS




Cod. 0107202.50
COVER WITH SWINGING DOOR



Cover available also without door
Cod. 0107201.50

AVAILABLE ALSO:

Cod. 0107023.50
2 DOORS - PIERCED BOTTOM
Cod. 0107025.50
1 DOOR - PIERCED BOTTOM
Cod. 0107029.50
WITHOUT DOOR
PIERCED BOTTOM



Available pierced
or closed bottom


UNIVERSAL COOP 100



Cod. 0106013.50
3 DOORS - PIERCED BOTTOM

CHARACTERISTICS

Outside dimensions:
970x580x270 mm
Weight:
5,390 kg
Shipping capacity:
200 pieces per 20' cnt
400 pieces per 40' cnt
470 pieces per 40' HC



Cod. 0106202.50
COVER WITH SWINGING DOOR



Cover available also without door
Cod. 0106201.50


AVAILABLE ALSO:

Cod. 0106017.50 (side door on right)
2 DOORS - PIERCED BOTTOM
Cod. 0106027.50 (side door on left)
2 DOORS - PIERCED BOTTOM
Cod. 0106020.50
1 DOOR - PIERCED BOTTOM



Available pierced
or closed bottom

PIEDMONT COOP



CHARACTERISTICS

Outside dimensions:
970x580x270 mm
Capacity:
18/20 chickens, depending
on climate and weight

Cod. 0101001.50
ONE DOOR
Weight:
7,820 kg
Shipping capacity:
700 pieces per 20' cnt
1.400 pieces per 40' cnt
1.600 pieces per 40' HC



Cod. 0101002.50
TWO DOORS
Weight:
7,884 kg
Shipping capacity:
650 pieces per 20' cnt
1.350 pieces per 40' cnt
1.550 pieces per 40' HC




AVAILABLE ALSO:

Cod. 0101006.50
PIEDMONT OPEN WITH FRAME
Cod. 0101003.50
THREE SIDE DOORS
Cod. 0101004.50 (side door on right)
+ 1 TOP SLIDING DOOR
Cod. 0101008.50 (side door on left)
+ 1 TOP SLIDING DOOR

Cod. 0101112.50
FRAME



MINI PIEDMONT COOP




CHARACTERISTICS

Outside dimensions:
770x570x290 mm
Capacity:
14/16 chickens, depending
on climate and weight


Cod. 0102001.50
ONE DOOR
Weight:
6,810 kg
Shipping capacity:
750 pieces per 20' cnt
1.500 pieces per 40' cnt
1.750 pieces per 40' HC



Cod. 0102002.01
TWO DOORS
Weight:
6,754 kg
Shipping capacity:
720 pieces per 20' cnt
1.450 pieces per 40' cnt
1.700 pieces per 40' HC



Assembling Piedmont
and Mini Piedmont Coop



TURKEY COOP



CHARACTERISTICS

Outside dimensions:
970x580x420 mm
Capacity:
3/4 turkeys depending on
climate and weight

Cod. 0105001.50
ONE DOOR
Weight:
11,640 kg
Shipping capacity:
450 pieces per 20' cnt
900 pieces per 40' cnt
1,035 pieces per 40' HC



Cod. 0105002.01
TWO DOORS
Weight:
11,354 kg
Shipping capacity:
400 pieces per 20' cnt
800 pieces per 40' cnt
900 pieces per 40' HC



MINI TURKEY COOP



CHARACTERISTICS

Outside dimensions:
770x570x420 mm
Capacity:
2/3 turkeys depending on
climate and weight

Cod. 0103001.50
ONE DOOR
Weight:
9,920 kg
Shipping capacity:
500 pieces per 20' cnt
1,000 pieces per 40' cnt
1,100 pieces per 40' HC



Cod. 0103002.01
TWO DOORS
Weight:
9,574 kg
Shipping capacity:
500 pieces per 20' cnt
1,000 pieces per 40' cnt
1,100 pieces per 40' HC



Assembling Turkey
and Mini Turkey Coop

QUAIL COOP





Cod. 0113001
TWO DOORS

CHARACTERISTICS

Outside dimensions:
670x450x150 mm

Weight:
2,302 kg

Shipping capacity
(assembled cages):
640 pieces per 20' cnt
1.360 pieces per 40' cnt
1.530 pieces per 40' HC




PHEASANT COOP



CHARACTERISTICS

Outside dimensions:
650x360x250 mm
Shipping capacity:
1.780 pieces per 20' cnt

Cod. 0113003.50
TWO DOORS
Weight:
2,450 kg



Cod. 0113004.50
THREE DOORS
Weight:
2,454 kg





PIGEON COOP - TYPE A



Cod. 0111002.50

CHARACTERISTICS

Outside dimensions:
750x1.000x300 mm
Weight:
10,7105 kg
Swinging door size:
900x210 mm
Capacity:
20/22 pigeons
Shipping capacity:
250 pieces per 20' cnt
525 pieces per 40' cnt
588 pieces per 40' HC




PIGEON COOP - TYPE C



Cod. 0112001.50

CHARACTERISTICS

Outside dimensions:
610x315x270 mm
Weight:
3,247 kg
Sliding door size:
270x210 mm
Capacity:
4/6 pigeons
Shipping capacity
(assembled cages):
530 pieces per 20' cnt





PIGEON COOP - TYPE B



Cod. 0111001.50

CHARACTERISTICS

Outside dimensions:
750x1.000x300 mm
Weight:
10,868 kg
Sliding door size:
440x210 mm
Capacity:
20/22 pigeons
Shipping capacity:
320 pieces per 20' cnt
640 pieces per 40' cnt
710 pieces per 40' HC



Our varied range of pigeon coops are specifically designed to meet the needs of animal care combined with hygiene and ease of cleaning.



PIGEON COOP





CHARACTERISTICS

Outside dimensions:
780x480x290 mm
Shipping capacity:
1 pallet 120x80x170 cm = 66 cages

Cod. 0113010.50

ONE DOOR

Weight:
3,264 kg



Cod. 0112020

THREE DOORS

Weight:
3,539 kg




MULTIPLE PIGEON BOX



Cod. 0112030.50

CHARACTERISTICS

Outside dimensions:
325x155x290 mm
Weight:
0,547 kg
Shipping capacity cage:
1 box 70x48x72 cm = 60 cages
1 pallet 120x100x210 cm = 420 cages
1 pallet 120x100x230 cm = 540 cages
Shipping capacity cover:
1 box 40x40x71 cm = 60 covers
1 pallet 120x80x225 cm = 1.800 covers



SPARE PARTS

BIRDS TRANSPORT


TOP SLIDING DOOR 42X38 cm

Cod. 0114027.50
PIEDMONT COOP
TURKEY COOP



TOP SLIDING DOOR 42X32 cm

Cod. 0114028.50
UNIVERSAL COOP 110
MINI TURKEY COOP
MINI PIEDMONT COOP



TOP SWINGING DOOR 52X42 cm

Cod. 0114008.50
UNIVERSAL COOP



SIDE DOOR 16X19 cm

Cod. 0114013.50
QUAIL COOP



TOP DOOR 18,5X14 cm

Cod. 0114014.50
PIGEON COOP
QUAIL COOP
PHEASANT COOP



QUAIL SPRING

Cod. 0114026.50



QUAIL SPRING HOLDER

Cod. 0114030.50



SIDE DOOR 30X19 cm

Cod. 0114020.50
UNIVERSAL COOP
PIEDMONT COOP
MINI PIEDMONT COOP



SIDE DOOR 40X30 cm

Cod. 0114017.50
TURKEY COOP
MINI TURKEY COOP



SPRING

Cod. 0114016.50



SPRING HOLDER

Cod. 0114015.50



SWINGING DOOR 12X15 cm

Cod. 0114023.50
PIGEON COOP TYPE A/TYPE B



SIDE SWINGING DOOR 28X18 cm

Cod. 0114029.50
PHEASANT COOP



SIDE SWINGING DOOR 40X23 cm

Cod. 0114031.50
PIGEON COOP



CONTAINER & PALLET

There is a wide range of Giordano Poultry Plast® containers and pallets intended for a variety of product handling uses and sectors. The plastic materials lend them special versatility and resistance.

Few things that make the Giordano container line cost effective and safe: the special design enables maximum ventilation, quicker and easier cleaning, while perfect interlocking reduces the danger of load shifting. All containers are also fully nestable and stockable.

High density polyethylene construction guarantees maximum resistance to high and low temperatures. All containers are suitable for deepfreeze. Consisting in a single mono-block and resistant to both low and high temperatures (from -20 to +40 °C), Giordano Poultry Plast pallets are the most robust, hygienic and ecological alternative to the conventional pallet, easy to clean and dry.

Equipped with anti-overturning crossbeams, the Pallets are manufactured with materials suitable for contact with foodstuffs (HDPE), impact-resistant raw materials, and are 100% recyclable and disinfectable. Special colours are available upon request and customisation is possible with name and RFID numbering. The metal supports make the pallets suitable for rack. The UV stabilizer reduces ageing due to solar rays.



NB: The calculation of the capacity corresponds to the number of WHOLE chickens slaughtered. The rotisserie chickens are 1 kg each, adult chickens are 2,5 kg each.


T 78



Cod. 0405001.50

CHARACTERISTICS

Outside dimensions:
770x435x250 mm
Weight:
2,000 kg
Capacity:
60 l
12 rotisserie chickens or
6 adult chickens
Shipping capacity:
850 pieces per 20' cnt




F 68



Cod. 0404001.50

CHARACTERISTICS

Outside dimensions:
680x470x215 mm
Weight:
3,000 kg
Capacity:
50 l
16 rotisserie chickens or
6 adult chickens
Shipping capacity:
450 pieces per 20' cnt




P 60



Cod. 0407001

CHARACTERISTICS

Outside dimensions:
603x394x180 mm
Weight:
1,200 kg
Capacity:
28 l
10 rotisserie chickens or
4 adult chickens
Shipping capacity:
2.750 pieces per 20' cnt




M 40



Cod. 0406001.50

CHARACTERISTICS

Outside dimensions:
600x415x185 mm
Weight:
1,400 kg
Capacity:
30 l
10 rotisserie chickens or
4 adult chickens
Shipping capacity:
2.000 pieces per 20' cnt





PALLET LIGHT

Cod. 0420010.50

CHARACTERISTICS

Outside dimensions:
1.200x800x153 mm
Weight:
11,250 kg (+/- 0,2)
Load capacity:
Dynamic: 1.000 kg
In rack: 700 kg
Static: 3.000 kg
Temperature range:
Cleaning: up to +100°C
In use: -20°C up to +60°C
Shipping capacity:
198 pieces per 20' cnt
400 pieces per 40' cnt
460 pieces per 40' HC




M 90



Height 200 mm

CHARACTERISTICS

Outside dimensions:
600x400 mm
Capacity:
32 l
8 rotisserie chickens or
4 adult chickens
Shipping capacity:
1.800 pieces per 20' cnt



Height 220 mm


CHARACTERISTICS

Outside dimensions:
600x400 mm
Capacity:
35 l
8 rotisserie chickens or
4 adult chickens
Shipping capacity:
1.800 pieces per 20' cnt

Available pierced/full bottom and sides

PALLET CARGO

Cod. 0420103.50
WITHOUT FEET



CHARACTERISTICS

Outside dimensions:
1.200x800x153 mm
Weight:
14,500 kg (+/- 0,2)
Load capacity:
Dynamic: 1.100 kg
In rack: 750 kg
Static: 4.500 kg
Temperature range:
Cleaning: up to +100°C
In use: -20°C up to +60°C
Shipping capacity:
198 pieces per 20' cnt
400 pieces per 40' cnt
460 pieces per 40' HC

Available in virgin material or
100% black recycled material



Cod. 0420002.50
WITH FEET

CHARACTERISTICS

Outside dimensions:
1.200x800x160 mm
Weight:
16,300 kg (+/- 0,2)
Load capacity:
Dynamic: 1.100 kg
In rack: 750 kg
Static: 4.500 kg
Temperature range:
Cleaning: up to +100°C
In use: -20°C up to +60°C
Shipping capacity:
188 pieces per 20' cnt
375 pieces per 40' cnt
430 pieces per 40' HC

Only virgin material

Available also with two or three iron bars